



Tray Options:




PureWhite (Gloss White)



GraphiteBlack (Matte Black)




TileOver




Note: Verify exact shower base dimensions on site

Screen Options:

Tray Only (No Screen)




Hinged




Screens are reversible

Sliding




Screens are reversible

For more information visit [www.mitre10.co.nz](http://www.mitre10.co.nz)




Note: Screens are reversible





### Screen Specifications & Components:

- 3x 8mm Toughened **CristalVision™** Nano-Coated Screens @ 2023 high
- 2x Wall Glazing Channels @ 2023mm high
- 1x 6mm Toughened Glass Top Brace @ 100mm wide
- 4x Top Brace Blocks
- 2x Adjustable self-centering 180° Hinges
- 1x Handle set @ 207mm high (192mm hole centres)
- 1x Sill Kit (more info on following pages)


### Options in this size:



For more information visit [www.mitre10.co.nz](http://www.mitre10.co.nz)




Note: Screens are reversible





### Screen Specifications & Components:

- 3x 8mm Toughened **CristalVision™** Nano-Coated Screens @ 2023 high
- 2x Wall Glazing Channels @ 2023mm high
- 1x 6mm Toughened Glass Top Brace @ 100mm wide
- 4x Top Brace Blocks
- 2x Adjustable self-centering 180° Hinges
- 1x Handle set @ 207mm high (192mm hole centres)
- 1x Sill Kit (more info on following pages)

### Options in this size:



For more information  
visit [www.mitre10.co.nz](http://www.mitre10.co.nz)



Ensure a minimum recess size of 250mm wide x 250mm long x 150mm deep for the waste outlet

